

DATA SHEET

RACKS AND TRANSPORT FURNITURE / 19" RACKS / FLOOR CUPBOARDS



19" METAL RACK CABINET 10 U



OOOO

Centralises and protects equipment from unwanted tampering, knocks, etc.

- Very strong construction
- Transparent acrylic door with lock and key
- Features wheels with brakes, feet and 2 ceiling fans
- Removable side and back panels



ESPECIALLY RECOMMENDED IN:




All sectors


DESCRIPTION


19" rack cabinet19" 10 U metal rack cabinet for floor mounting. Keeps all the devices of the installation protected and safe in the same place. It has transparent methacrylate door with a lock and key, wheels with brakes, legs and 2 fans (230 V AC) on the ceiling. An ideal solution for installing telecommunication devices, nets, servers, etc. The depth of the rack allows for the installation of devices up to 41 cm deep. This rack cabinet protects and enables access to the devices via either the front methacrylate door or the side and rear panels, making maintenance and monitoring of the devices considerably easier. Includes legs, 6 mounts, 1 tray, nuts and bolts for assembly. For installation of sound equipment, lighting, data communications, etc.

TECHNICAL CHARACTERISTICS

FEATURES	Metal 19" rack cabinet, transparent methacrylate door with lock and key, wheels with brakes, feet and 2 fans (230 V AC) in the ceiling. Detachable side and back panels. Cable holder on the side. Black enamel finish.
CAPACITY	10 U 19" rack = 44.5 cm
DIMENSIONS	Exterior including wheels: 58.5 x 72 x 58.5 cm depth Between rails: 48.5 cm wide x 41 cm deep Usable depth: 410 mm
WEIGHT	30 kg
ACCESSORIES	Feet, 6 mounts, 1 tray, nuts and bolts for assembly
OPTIONAL	T-FRA: thermostat to activate the fans depending on the temperature









000000000000000000000000000000000000000			

	Units	Scale
AL RACK CABINET 10 U	mm	1:6